Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3660	((370/462,431,432,437,442-445, 447,458,461,401,321,328,337, 338,347,345,310,389,230,230.1, 231,237.ccls.) (719/311.ccls.) (340/3.1,3.21.ccls.) (710/45,40, 36.ccls.) (455/450,422.1.ccls.)) and (resourc\$3 near5 allocat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:53
S2	942	S1 and ((buffer or register or queue or memory) same (size or congest\$5 overflow or over-flow or "over flow"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:54
S3	860	S2 and (identif\$8 or recogniz\$7 or verif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:03
S4	769	S3 and (priorit\$5 or classif\$6 or prefer\$4 or superior\$6 or preced\$5 or rank\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:51
S5	200	S4 and (access\$3 near2 (terminal or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:52
S6	150	S5 and @ay<= "2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:52
S7	70	S5 and (time adj slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 10:17

S8	424	S1 and ((gateway or server or router) near5 identif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:54
S9	136	S8 and ((buffer or register or queue or memory) same (size or congest\$5 overflow or over-flow\$6 or "over flow" or down-flow\$6 or "down flow"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:56
S10	3660	((370/462,431,432,437,442-445, 447,458,461,401,321,328,337, 338,347,345,310,389,230,230.1, 231,237.ccls.) (719/311.ccls.) (340/3.1,3.21.ccls.) (710/45,40, 36.ccls.) (455/450,422.1.ccls.)) and (resourc\$3 near5 allocat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:56
S11	942	S10 and ((buffer or register or queue or memory) same (size or congest\$5 overflow or over-flow or "over flow"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 09:05
S12	860	S11 and (identif\$8 or recogniz\$7 or verif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:58
S13	769	S12 and (priorit\$5 or classif\$6 or prefer\$4 or superior\$6 or preced\$5 or rank\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:54
S14	200	S13 and (access\$3 near2 (terminal or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:54
S15	150	S14 and @ay<= "2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:54

S16	70	S14 and (time adj slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:54
S17	424	S10 and ((gateway or server or router) near5 identif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:54
S18	136	S17 and ((buffer or register or queue or memory) same (size or congest\$5 overflow or over-flow\$6 or "over flow" or down-flow\$6 or "down flow"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/06/29 10:33
S19	3954	((370/462,431,432,437,442-445, 447,458,461,401,321,328,337, 338,347,345,310,389,230,230.1, 231,237.ccls.) (719/311.ccls.) (340/3.1,3.21.ccls.) (710/45,40, 36.ccls.) (455/450-453,422.1.ccls.)) and (resourc\$3 near5 allocat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:57
S20	300	S19 and ((identif\$8 or recogniz\$7 or verif\$8) near4 ((access\$3 adj (point or terminal)) or "AP" or receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 13:48
S21	74	S20 and ((buffer or register or queue or memory) near4 ((access\$3 adj (point or terminal)) or "AP" or receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 10:20
S22	2	"20050041673".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 12:55
S23	74	S20 and ((backlog\$4 or buffer or register or queue or memory) near4 ((access\$3 adj (point or terminal)) or "AP" or receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 13:56

S24	303	S19 and (identif\$8 near5 ((access\$3 adj (point or terminal)) or "AP" or receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 13:59
S25	108	S19 and (identif\$8 near3 (access\$3 adj (point or terminal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:51
S26	108	S19 and (identif\$8 near3 (multi-gateway or "multi gateway" or (access\$3 adj (point or terminal))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:31
S27	6	S19 and ((master or slave) adj (gateway or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:33
S28		("200500416736477370" "20050060328" "5918157" "6067442" "6278861" "6477373" "20060146807" "6067453" "5717830" "6112085" "6374105" "6411806" "20030039350" "6001052" "6873988" "7042988" "20030055994" "20030087629" "20040255167" "20050135374" "20060234678" "5774668" "5835847" "5951694" "5594910" "5671225" "5682478" "5713075" "5758072" "5812784" "5819047" "5983281" "6058307" "6112083" "6134215" "6182123" "6243580" "6259913" "6272338" "6272341" "6404746" "6944166" "7180860" "6092111" "20040090972" "20040158716" "5664006" "5949775" "6023606" "6469998" "20030103497" "6418139" "6304881" "20030050072" "6233456" "6343287" "6381599" "6408336" "6470332" "6542515" "6651047" "7171453" "20020156867" "20050138033" "4918588" "5218697" "5369684" "5377191" "5379296").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:06

<u></u>						
S29	80	S28 and identif\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:09
S30	20	S28 and identif\$7 near2 terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:49
S31	1961	(priorit\$3 QOS) same ((backlog\$4 or queue or memory) near5 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:58
S32	181	S31 and (access near point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:57
S33	8	S32 and identif\$7 near2 terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:59
S34		(priorit\$3 QOS) near10 ((backlog\$4 or queue or memory) near5 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:58
S35	12	S34 and identif\$7 near2 terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 18:59
S36	1069	(gateway or server or router) near5 ((backlog buffer register queue memory) near5 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:53

·			· · · · · · · · · · · · · · · · · · ·		,	
S37	775	S36 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 10:38
S38	3	S37 and (pariority "qos") with ((backlog buffer register queue memory) near5 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 10:49
S39	29	S37 and (priorit\$4 with ((backlog buffer register queue memory) near5 size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 11:38
S40	30	("wireless local loop" "fixed-radio access" "fixed-wireless access" "Fixed Wireless Terminal") and (gateway near8 identif\$7) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:33
S41	87	(Obtain\$3 calculat\$4 etimat\$4 determin\$5) near5 (gateway or server or router) near5 ((backlog buffer register queue memory) near3 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/01 14:49
S42	71	S41 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 18:33
S43	210	(increas\$3 near8 rate) same (empty near3 (buffer memory queue backlog))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/01 14:51
S44	15	S43 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:03

S45	145	priorit\$7 same (compar\$3 near10 (backlog buffer register queue memory) near5 (size length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 10:23
S46	127	S45 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 10:29
S47	6	S46 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 10:25

7/5/2007 4:01:52 PM C:\Documents and Settings\akasraian\My Documents\EAST\Workspaces\644346_2nd.wsp

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	145	priorit\$7 same (compar\$3 near10 (backlog buffer register queue memory) near5 (size length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:25
S2	127	S1 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 18:24
S3	6	S2 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:26
S4		S2 and (different near2 priorit\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:14
S5	. 331	dynamic same resource same manag\$5 same wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:16
S6	218	S5 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:16
S7	0	resurce adj usage adj terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 14:31
S8	0	resurce adj usage adj threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 14:31

			110 000115	00	ONI	2007/07/02 14:22
S9	613	usage adj threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/03 14:33
S10	87	S9 and data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 14:32
S11	66	S10 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 14:32
S12	28	S11 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:53
S13	0	(usage adj threshold) same (data adj rate) same (gateway router) and (resource near2 allocat\$5) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 14:35
S14	3	(usage adj threshold) same (data adj rate) and (resource near2 allocat\$5) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:56
S15	418	(resource adj allocat\$5) and (maintain\$3 near8 priorit\$7) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:38
S16	150	S15 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:23

					·,	
S17	2	(resource adj allocat\$5) and (maintain\$3 near8 priorit\$7 near8 gateway) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:38
S18	25	((usage adj threshold) with resource) and (resource near2 allocat\$5) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:57
S19	1	"644346".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 15:45
S20	2	"6445707".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 18:31
S21	31	(resource near3 allocat\$5) and ("only one gateway")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 18:33

7/5/2007 4:00:59 PM C:\Documents and Settings\akasraian\My Documents\EAST\Workspaces\644346_3rd.wsp

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2687	((370/462,431,432,437,442-444, 458,461,401,321,337,347,345, 310,389.ccls.) (719/311.ccls.) (340/3.1,3.21.ccls.) (710/45,40, 36.ccls.) (455/450,422.1.ccls.)) and (resourc\$3 near5 allocat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:42
S2	851	S1 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:45
S3	583	S1 and ((receiver or terminal or gateway or non-gateway) near5 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:45
S4	1723	S1 and (identif\$8 or recogniz\$5 or find\$3 or distinguish\$4 or determin\$6) near5 (user or receiv\$4 or gateway or non-gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:46
S5	571	S3 and (identif\$8 or recogniz\$5 or find\$3 or distinguish\$4 or determin\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:47
S6	571	S5 and ((priorit\$5 or classif\$8 or prefer\$4 or superior\$6 or preced\$5) neear5 access\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:47
S7	51	(resourc\$3 near5 allocat\$5) and ((obtain\$3 or monitor\$ or watch\$3) near5 ((backlog\$4 or buffer) near2 siz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:49
S8	12	S7 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:50

S9	7907	((wireless or remote or wire-less or radio) near3 gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:51
S10	4123	S9 and (priorit\$5 or classif\$8 or prefer\$4 or superior\$6 or preced\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:51
S11	4123	S9 and (priorit\$5 or classif\$8 or prefer\$4 or superior\$6 or preced\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:51
S12	160	S9 and ((priorit\$5 or classif\$8 or prefer\$4 or superior\$6 or preced\$5) near5 resourc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:52
S13	1	S12 and ((obtain\$3 or monitor\$ or watch\$3) near5 ((backlog\$4 or buffer) near2 siz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:52
S14	30	S12 and ((monitor\$ or watch\$3) near5 (backlog\$4 or buffe or regisrer or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:15
S15	7907	((wireless or remote or wire-less or radio) near3 gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:15
S16	160	S15 and ((priorit\$5 or classif\$8 or prefer\$4 or superior\$6 or preced\$5) near5 resourc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:15

S17	31	S16 and ((monitor\$ or watch\$3) near5 (backlog\$4 or buffer or regisrer or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:54
S18	27	S17 and (access\$3 near2 (terminal or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:35
S19	11	(resourc\$3 near3 allocat\$5) same (gateway near5 (access\$3 near2 (terminal or point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:40
S20	472	(resourc\$3 near3 allocat\$5) same (access\$3 near2 (terminal or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:40
S21	133	S20 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:41
S22	6821	(identif\$8 or recogniz\$7 or verif\$8) near6 (access\$ near3 (terminal or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:46
S23	40	S22 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 16:12
S25	55755	((monitor\$ or watch\$3) near5 (backlog\$4 or buffer or regisrer or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	•	ON	2007/03/19 11:47

					000	2007/02/40 44 42
S26	176	S25 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 11:48
S27	5106	(access\$4 near2 (terminal or point)) near5 (backlog\$4 or buffer or register or memory or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:59
S28	396	(access\$4 near2 (terminal or point)) same ((backlog\$4 or buffer or register or memory or queue) near3 (size or capacity or congest\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:24
S29	12	S15 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:22
S30	38	S28 and ((priorit\$5 or classif\$8 or prefer\$4 or superior\$6 or preced\$5) near5 (access\$3 near3 (point or terminal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:20
S31	8434	((time-slot or "time slot" or bandwidth or spectrum or frequency or resource or channel) near2 (allocat\$4 or assign\$4 or shar\$3 or designat\$4)) same (gateway or router or AP or (access\$3 adj point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:19
S32	917	S31 and ((priorit\$5 or classif\$8 or prefer\$4 or superior\$6 or preced\$5) near5 (backlog or buffer or register or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 17:18
S33	406	S32 and ((backlog\$4 or buffer or register or memory or queue) near3 (size or capacity or congest\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2007/03/19 15:27

S34	393	S33 and (access\$5 (terminal or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:28
S35	266	S34 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 16:40